AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application.

- 1. (Original) A method of producing pluripotent stem cells, which comprises culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells.
- 2. (Original) The production method of claim 1, wherein the medium further contains leukemia inhibitory factor (LIF).
- 3. (Currently Amended) The production method of claim 1 or 2, wherein the medium further contains at least one of epidermal growth factor (EGF) and basic fibroblast growth factor (bFGF).
- 4. (Currently Amended) The production method of any one of claims claim 1 to 3, which comprises culturing testis cells in the presence of feeder cells.
- 5. (Original) The production method of claim 1, wherein the testis cells are spermatogonial stem cells.
- 6. (Original) The production method of claim 5, wherein the spermatogonial stem cells are GS cells.
- 7. (Original) The production method of claim 1, wherein the testis cells are P53-deficient.
- 8. (Original) The production method of claim 1, which comprises the following steps:
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain cultured cells;
- (Step 2) culturing the cultured cells obtained in Step 1, using a medium containing leukemia inhibitory factor (LIF) to obtain pluripotent stem cells.

- 9. (Original) The production method of claim 8, wherein the medium for Step 1 further contains leukemia inhibitory factor (LIF).
- 10. (Currently Amended) The production method of claim 8 or 9, wherein the medium for Step 1 further contains at least one of epidermal growth factor (EGF) and basic fibroblast growth factor (bFGF).
- 11. (Currently Amended) The production method of any one of claims claim 8 to 10, wherein Step 1 comprises culturing testis cells in the presence of feeder cells.
- 12. (Original) The production method of claim 1, which comprises the following steps:
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain GS cells;
- (Step 2) culturing the GS cells obtained in Step 1, using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells.
- 13. (Currently Amended) The production method of any one of claims claim 1 to 12, wherein the testis cells are derived from a mammal.
- 14. (Original) The production method of claim 13, wherein the mammal is postnatal.
- 15. (Original) The production method of claim 1, wherein the pluripotent stem cells are positive for at least any one selected from the group consisting of SSEA-1, Forsman antigen, β1-integrin, α6-integrin, EpCAM, CD9, EE2 and c-kit.
- 16. (Original) The production method of claim 15, wherein the pluripotent stem cells are positive for SSEA-1, Forsman antigen, β1-integrin, α6-integrin, EpCAM, CD9, EE2 and c-kit.
- 17. (Currently Amended) A pluripotent stem cell produced by the production method of any one of claims claim 1 to 16.

- 18. (Original) A pluripotent stem cell derived from a testis cell, which is positive for at least any one selected from the group consisting of SSEA-1, Forsman antigen, β 1-integrin, α 6-integrin, EpCAM, CD9, EE2 and c-kit.
- 19. (Original) The pluripotent stem cell of claim 18, which is positive for SSEA-1, Forsman antigen, β1-integrin, α6-integrin, EpCAM, CD9, EE2 and c-kit.
- 20. (Original) A method of producing a chimeric embryo, which comprises the following steps:
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells;
- (Step 2) introducing the pluripotent stem cells into a host embryo to obtain a chimeric embryo.
- 21. (Original) A method of producing a chimeric animal (excluding humans), which comprises the following steps
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells;
- (Step 2) introducing the pluripotent stem cells into a host embryo to obtain a chimeric embryo;
- (Step 3) transferring the chimeric embryo to the uterus or oviduct of a host animal to obtain a chimeric animal (excluding humans).
- 22. (Original) A method of producing a non-human animal derived from pluripotent stem cells, which comprises the following steps:
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells;
- (Step 2) introducing the pluripotent stem cells into a host embryo to obtain a chimeric embryo;
- (Step 3) transferring the chimeric embryo to the uterus of a host animal to obtain a chimeric animal (excluding humans);
- (Step 4) mating the chimeric animal to obtain a non-human animal derived from the pluripotent stem cells.

- 23. (Original) A method of producing a tetraploid chimeric embryo, which comprises the following steps:
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells;
- (Step 2) introducing the pluripotent stem cells into a tetraploid embryo to obtain a tetraploid chimeric embryo.
- 24. (Original) A method of producing a non-human animal derived from pluripotent stem cells, which comprises the following steps:
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells;
- (Step 2) introducing the pluripotent stem cell into a tetraploid embryo to obtain a tetraploid chimeric embryo;
- (Step 3) transferring the tetraploid chimeric embryo to the uterus or oviduct of a host animal to obtain a non-human animal derived from the pluripotent stem cells.
- 25. (Original) A method of producing functional cells, which comprises the following steps:
- (Step 1) culturing testis cells using a medium containing glial cell derived neurotrophic factor (GDNF) or an equivalent thereto to obtain pluripotent stem cells;
- (Step 2) culturing the pluripotent stem cells under functional cell differentiation conditions to obtain functional cells.
- 26. (Original) The production method of claim 25, wherein the functional cells are mesodermal cells.
- 27. (Original) The production method of claim 26, wherein the mesodermal cells are any one selected from the group consisting of blood cell lineage cells, vascular lineage cells and myocardial cells.
- 28. (Original) The production method of claim 25, wherein the functional cells are ectodermal cells.
- 29. (Original) The production method of claim 28, wherein the ectodermal cells are neuronal lineage cells.

- 30. (Original) The method of claim 29, wherein the neuronal lineage cells are any one selected from the group consisting of neurons, glial cells, oligodendrocytes and astrocytes.
- 31. (Original) The production method of claim 25, wherein the functional cells are endodermal cells.
- 32. (Original) A composition for producing pluripotent stem cells derived from a testis cell, which contains glial cell derived neurotrophic factor (GDNF) or an equivalent thereto.
- 33. (Original) The composition of claim 32, which further contains leukemia inhibitory factor (LIF).
- 34. (Currently Amended) The composition of claim 32 or 33, which further contains at least one of epidermal growth factor (EGF) and basic fibroblast growth factor (bFGF).